





## AHD Dash Camera 1080P

### FLTW-1101



Recommended Tools		Difficulty Level
 Screw Driver  Electrical Tape		
	<b>Install Time</b>	
	 1hr 30m - 2hr	
Questions? Call the Brandmotion technical support line at (734) 619-1250 or <a href="#">CLICK HERE</a>		

## Kit Contents

### Recommended Tools

### Components for installing the *FLTW-1101*



### Kit Contents:

1x AHD Dash Camera

1x Camera trim piece

1x Cable cover

1x 4-pin to aviator 4-pin converter cable

## Camera Mounting

### Part 1

### Universal Camera Mounting

1. Identify where to mount the camera on the front windshield.
2. Clean the area with isopropyl alcohol.
3. (Optional) If mounting under mirror mount, remove red 3M tape cover from the camera trim piece and press firmly into place.
4. Remove the red 3M tape cover from the camera.
5. Press the camera firmly against the windshield to adhere.



## Powering the Camera

### Part 2

### Universal Camera Power

1. Connect the 4-pin to 4-pin aviator cable to the camera. Tape the connection.
2. Make the 4-pin connection to the display and tighten the screw connector.
3. Tuck excess wire into the headliner.
4. (Optional) Remove red 3M tape cover from wire cover and place over the exposed camera wire.

