



# USB Type-C™ to VGA Adapter, Full HD 1080p



## Manual

DA-70853 Rev. 2

### Product features

The USB Type-C™ VGA graphics adapter allows you to connect a VGA monitor or projector to a USB-C™ device. The highest possible resolution is Full HD (1080p). It is suitable for all operating systems: Windows®, Mac®, Google Chrome®. The adapter is a must-have accessory, whether you use it privately when connecting your laptop to an additional monitor or professionally for presentations with a VGA projector.

## Functional description

1. Chipset: RTD2169U
2. Support USB3.1 input and VGA output.
3. 5.4 Gbps (HBR2), 2.7 Gbps (HBR) and 1.62 Gbps data channel.
4. Support the following resolution:  
1080P@24Hz, 50Hz, 60Hz, 720P, 480P, 576i and 480i, @50Hz and 60Hz

## Package Content

1. USB Type-C™ VGA graphics adapter
2. 1 x Manual

## Specifications

<b>Signal Inputs/Output</b>	
Input port	USB3.1 Type-C Male x1
Output port	VGA Female x1
<b>Environmental</b>	
Operating Temperature	0°C to +45°C
Operating Humidity	10% to 85% RH (no condensation)
Storage Temperature	-10°C to +80°C
Storage Humidity	5% to 90% RH (no condensation)
Power Requirement	USB bus power
External Power Supply	NO
<b>Accessories Adapter</b>	
Size (L-W-H)	Main Unit: 45 x 45 x 14.8mm Cable:150mm
Remote control	NO

## Operation



1. Connect USB-C port of this product to computer
2. Connect VGA output of this product to HDTV with one VGA cable

Hereby Assmann Electronic GmbH, declares that the Declaration of Conformity is part of the shipping content.  
If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

**www.assmann.com**  
Assmann Electronic GmbH  
Auf dem Schüffel 3  
58513 Lüdenscheid  
Germany

