


# INSTALLATION MANUAL

















Eastbrook Code	Adjustment	Eastbrook Code	Adjustment
69.0069	970-1000	69.0070	1070-1100
69.0071	1170-1200	69.0072	1370-1400
69.0073	1570-1600		





# B532+B551




This product should only be fixed by a fully qualified installer


<p>S01</p>  <p>2X</p>	<p>S02</p>  <p>1X</p>	<p>S03</p>  <p>2X</p>	<p>S04</p>  <p>1X</p>	<p>S05</p>  <p>2X</p>	<p>S06</p>  <p>2X</p>
<p>S07</p>  <p>3X</p>	<p>S08</p>  <p>2X</p>	<p>S09</p>  <p>1X</p>	<p>S10</p>  <p>1X</p>	<p>S11</p>  <p>17X</p>	<p>S12</p>  <p>13X</p>
<p>S13</p>  <p>8X</p>	<p>S14</p>  <p>12X</p>	<p>S15</p>  <p>2X</p>	<p>S18</p>  <p>4X</p>		




Ø6



Ø3.2




L




R

1



S01




1.1


1.2

S17


2




2.1



2.2




2.3




S18(4X)

3




S16



3.1


4



S02


S03

4.1




S14(2X)


**5**




5.1




5.2




5.3




**6**




6.1




6.2




**7**




7.1




7.2




**8**




8.1




8.2




8.3




**9**




9.1




**10**




10.1





10.2





**11**





**12**



**13**





**14**




**15**

Silicone on the outside of the screen only



**16**



## Cleaning & Maintenance

Don't clean the shower enclosure with irritant detergent such as alcohol,bleach or other chemical cleaners.

Only clean with warm soapy water.

After the installation is completed,should you find that there is notable noise when the glass door moves,you may add a small quantity of lubricant onto the roller wheel,slipping hook and the track.

Helpline: 01452 317890