



# 1/16 Slash® 4X4 (Model 70054-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 5124** Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5114** Ball bearings, blue rubber shield (5x8x2.5mm) (2)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 4915 Body washers, foam adhesive (10)
- 6716** Body washers, Foam, 2mm/3mm/4mm
- 7027X** Body, 1/16 Slash 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
- 7012R** Body, 1/16 Slash 4X4 (clear, requires painting)/ grille, lights decal sheet
- 7027-BLK Body, 1/16 Slash 4X4, black (painted, decals applied)
- 7027-RED Body, 1/16 Slash 4X4, red (painted, decals applied)
- 2514 Decal sheet, racing sponsors
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)

## Bumpers & Skidplates

- 7035 Bumpers, front (1)/ rear (1)/ 2.5X14mm CS (2) (1/16 Slash)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards, steering servo (2) / cover plate, steering servo (1)

## Chassis & Attachments

- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 7024X Box, receiver (sealed)/ wire cover/ foam pads, upper & lower/ silicone grease/ 2.5x8 CS (4)/ 3x4 GS (1)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7029X Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7022 Chassis
- 7026 Door, battery compartment (1)/ vents, battery compartment (1 pair) (fits right or left side)
- 7025 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards, steering servo (2) / cover plate, steering servo (1)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)

## Differential Components

- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 7080 Cover plates, differential (front or rear)/ gaskets (2)/ o-rings (2)/ 2x14mm BCS (3)
- 7078 Differential assembly, complete
- 7014** Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)
- 7381** Differential locker, (2)
- 5136X** Differential oil kit (1 each: 10K, 30K, 50K weights)
- 7082 Gear set, differential (output gears (2)/ spider gears (3))/ differential output shafts (2)/ 1.5x6mm pin (3)/ 1.5x8mm pin (2)
- 5130** Oil, differential (100K wt) (0.7 oz (20cc))
- 5135** Oil, differential (10K wt) (1.7 oz (50cc))
- 5136 Oil, differential (30K wt) (1.7 oz (50cc))
- 5137** Oil, differential (50K wt) (1.7 oz (50cc))
- 7014X** Rebuild kit, center differential (1/16 E-Revo/Slash) (includes o-rings and diff gear covers)
- 7079 Ring gear, differential/ pinion gear, differential

## Driveline Components

- 7034 Axle carriers, left & right (2 each)
- 7052** Drive cups, inner (2) 1/16 E-Revo/Slash (steel constant-velocity driveshafts)
- 7051 Driveshaft assembly (1) left or right (1/16 Slash) (fully assembled, ready to install)/ 3x10mm screw pin (1)
- 7051X** Driveshaft, 1/16 Slash (steel constant-velocity) (assembled) (4)
- 7053** Driveshaft, steel constant-velocity, 1/16 Slash (shaft only, 48mm)/ drive cup pin (1)
- 7250R** Driveshafts, center (steel constant-velocity) front (1), rear (1) (fully assembled)
- 7056 Half shafts, center front (1), center rear (1) (internal splined half shafts (2)/external splined half shaft) (2))/ metal u-joints (4)

- 7050 Half shafts, left or right (1/16 Slash)(internal splined half shaft (2)/external splined half shaft) (2))/ metal u-joints (4)
- 7055** Rebuild kit (for 1/16 E-Revo/Slash steel constant-velocity driveshafts) (includes pins, o-rings, stub axles for driveshafts assemblies)
- 7054 Stub axle, steel (2)/ yokes (2) (assembled)
- 7154 Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
- 7154X** Wheel hubs, hex, aluminum (4) (blue-anodized)
- 7057 Yokes, differential and transmission (2)/ 3x10mm screw pin (2)

## Front Suspension

- 7033X** Aluminum caps, pivot ball (threaded aluminum, hard-anodized, PTFE-coated (8)/ hex wrench, 5mm
- 7034 Axle carriers, left & right (2 each)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7028 Hollow balls (20)
- 7028X** Hollow balls, steel (machined) (22)
- 7033 Pivot balls (4)/ pivot ball caps (4)
- 7018 Push rod (molded composite) (4)/ hollow balls (8) (1/16 Slash)
- 7018X** Push rods, aluminum (red-anodized) (4) (assembled with rod ends) (1/16 Slash)
- 7155 Rocker arm post, steel (4)
- 7158 Rocker arm set, progressive-2/ 4x7x2.5mm PB (8)
- 2523 Screws, 2.5x10 countersunk machine (hex drive) (6)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7031 Suspension arm set, front (includes upper right & left and lower right & left arms)
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
- 7038 Toe link, front & rear (molded composite) (4)/ hollow balls (8) (1/16 Slash)
- 7038X** Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts) (1/16 Slash)

## Hardware

- 5124** Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5114** Ball bearings, blue rubber shield (5x8x2.5mm) (2)
- 5123 Bellcrank bushings (plastic) (4x7x2.5mm) (4)
- 1834 Body Clips (12) (standard size)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 5150 E-clips, 1.5mm (24)
- 5477 Flat wrench, 5mm (blue anodized aluminum)
- 7028 Hollow balls (20)
- 7028X** Hollow balls, steel (machined) (22)
- 2745 Nuts, 3mm nylon locking (12)
- 1747P** Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R** Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G** Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T** Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747A** Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 7155 Rocker arm post, steel (4)
- 7059** Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)
- 2523 Screws, 2.5x10 countersunk machine (hex drive) (6)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 2526 Screws, 2.5x12 countersunk machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 3159 Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)

## Motors & Electronics

- 2082A Gear set (for 2080A waterproof micro servo)
- 2082R** Gear set, metal (for 2080R waterproof micro servo)

## Page 2 1/16 Slash® 4X4: Titan® 550 motor, TQ™ 2.4 radio (Model 70054-8) Parts List

2082X 3374	Gear set, metal (for 2080X waterproof micro servo) Heat sink, Velineon® 380 brushless motor, aluminum (blue-anodized)
7060	Motor mount, finned aluminum
7360	Motor mount, finned aluminum (for 550 motors)
3785	Motor, Titan® 12T (12-Turn, 550 size)
3371	Motor, Velineon® Mini Maxx® 380, brushless (assembled with 16-gauge wire and gold-plated connectors)
2081A	Servo case/ gaskets (for 2080A micro waterproof servo)
2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)
2080A	Servo, micro, waterproof
2080X	Servo, micro, waterproof, metal gear
2080R	Servo, micro, waterproof, metal gear
3370	Velineon® VXL-3m Brushless Power System, waterproof (includes waterproof VXL-3m ESC and Velineon® 380 motor)
3375	VXL-3m Electronic Speed Control, waterproof (brushless)
3024R	XL 2.5 Electronic Speed Control, waterproof With Low Voltage Detection

### Radio System, Batteries & Chargers

2820X	2200mah 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2925X	Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A)
2974	Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak® USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2949	Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®)
2982	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2082A	Gear set (for 2080A waterproof micro servo)
2082R	Gear set, metal (for 2080R waterproof micro servo)
2082X	Gear set, metal (for 2080X waterproof micro servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
2912	Power adapter, AC, USB-C (45W)
2916	Power cable, USB-C, 100W (high output)
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6522	Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1)
6523	Sensor, temperature and voltage (short)
2081A	Servo case/ gaskets (for 2080A micro waterproof servo)
2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)
2080A	Servo, micro, waterproof
2080R	Servo, micro, waterproof, metal gear
2080X	Servo, micro, waterproof, metal gear
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3375	VXL-3m Electronic Speed Control, waterproof (brushless)

3064X	Wire harness, parallel battery connection (compatible with Traxxas® High Current Connector, NiMH only)
3024R	XL 2.5 Electronic Speed Control, waterproof With Low Voltage Detection

### Ready-To-Race Model

70054-8	Slash®: 1/16-Scale Pro 4X4 Short Course Racing Truck with TQ™ 2.4GHz radio
---------	--

### Rear Suspension

7033X	Aluminum caps, pivot ball (threaded aluminum, hard-anodized, PTFE-coated (8)/ hex wrench, 5mm)
7034	Axle carriers, left & right (2 each)
7023	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
7029X	Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
7028	Hollow balls (20)
7028X	Hollow balls, steel (machined) (22)
7033	Pivot balls (4)/ pivot ball caps (4)
7018	Push rod (molded composite) (4)/ hollow balls (8) (1/16 Slash)
7018X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends) (1/16 Slash)
7155	Rocker arm post, steel (4)
7158	Rocker arm set, progressive-2/ 4x7x2.5mm PB (8)
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
7043	Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
7032	Suspension arm set, rear (includes upper right & left and lower right & left arms) (1/16 Slash)
7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
7038	Toe link, front & rear (molded composite) (4)/ hollow balls (8) (1/16 Slash)
7038X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts) (1/16 Slash)

### Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

### Shocks (GTR)

7066	Body, GTR shock (molded composite) (2)
7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)
7028	Hollow balls (20)
7067	Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks)
7063	Shaft, GTR shock (2)
7063T	Shaft, GTR shock (TiN-coated) (4)
7061	Shocks, GTR composite, 1/16 E-Revo/Slash (assembled, without springs) (2)
7061X	Shocks, GTR hard anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (4)

### Slipper Clutch Components

7152	Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)
------	---

### Springs

7140	Spring, shock (GTR) (0.82 rate, double orange) (1 pair)
7141	Spring, shock (GTR) (0.88 rate, double green) (1 pair)
7142	Spring, shock (GTR) (1.02 rate, double tan) (1 pair)
7143	Spring, shock (GTR) (1.15 rate, double black) (1 pair)

### Spur Gears & Pinion Gears

2428	Gear, 12-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw

**Page 3 1/16 Slash® 4X4: Titan® 550 motor, TQ™ 2.4 radio (Model 70054-8) Parts List**

- 7045R Spur gear, 45-tooth
- 7046R Spur gear, 50-tooth
- 7047R Spur gear, 55-tooth

**Steering Components**

- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7038 Toe link, front & rear (molded composite) (4)/ hollow balls (8) (1/16 Slash)
- 7038X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts) (1/16 Slash)

**Suspension Linkage**

- 7028 Hollow balls (20)
- 7028X Hollow balls, steel (machined) (22)
- 7018 Push rod (molded composite) (4)/ hollow balls (8) (1/16 Slash)
- 7018X Push rods, aluminum (red-anodized) (4) (assembled with rod ends) (1/16 Slash)
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
- 7038 Toe link, front & rear (molded composite) (4)/ hollow balls (8) (1/16 Slash)
- 7038X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts) (1/16 Slash)

**Tires & Wheels**

- 7073A Tires & wheels, assembled, glued (SCT satin chrome wheels, red beadlock style, SCT off-road racing tires, foam inserts) (1 each, right & left)
- 7073 Tires & wheels, assembled, glued (SCT satin chrome wheels, SCT off-road racing tires, foam inserts) (1 each, right & left)
- 7071 Tires, off-road racing, SCT dual profile (1 each right & left)/ foam inserts (2)
- 7154 Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
- 7154X Wheel hubs, hex, aluminum (4) (blue-anodized)
- 7072A Wheels, SCT satin chrome, red beadlock style, dual profile (1.8" inner, 1.4" outer) (2)

**Transmission Components**

- 7077R Cover, gear/ motor mount hinge post/ 3x10mm CS with split and flat washers (1)/ 3x8mm BCS (1)
- 7379R Cover, gear/motor plate access cover/ motor mount hinge post / 3x10mm CS w/split and flat washers (1) / 2.5x4mm CS (2) / 3x8mm BCS (1) (for 550 motors)
- 7014 Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)
- 7093 Gear set, transmission (includes 18T, 25T input gears, 13T idler gear (steel), 35T output gear, M3x13.75 screw pin)
- 7091 Gearbox halves, front & rear
- 7092 Input shaft/ output shaft
- 7090 Plate, motor
- 7380 Plate, motor (for 550 motor)
- 7014X Rebuild kit, center differential (1/16 E-Revo/Slash) (includes o-rings and diff gear covers)
- 7152 Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)
- 7095 Transmission, complete (fits 1/16-scale brushed models)

**Traxxas Tools**

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

**Turnbuckles & Threaded Rods**

- 7028 Hollow balls (20)
- 7028X Hollow balls, steel (machined) (22)
- 7018 Push rod (molded composite) (4)/ hollow balls (8) (1/16 Slash)
- 7018X Push rods, aluminum (red-anodized) (4) (assembled with rod ends) (1/16 Slash)
- 7038 Toe link, front & rear (molded composite) (4)/ hollow balls (8) (1/16 Slash)
- 7038X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts) (1/16 Slash)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**