


USER MANUAL

Mini UPS is a DC uninterruptible power supply which can store power. It is designed to provide emergency power backup to all kinds of DC power equipment such as:

- Access control standalone systems
- Routers
- Modems
- Set-top boxes
- VOIP phone systems
- Surveillance systems
- Alarm systems
- Personal communication systems
- Radios
- Digital cameras
- POS
- Bluetooth devices
- Smart cards
- And many other critical telecom equipment

It can provide hours of operation during power failure at a low-price vs a traditional UPS. It has perfect overcharge, over discharge, overcurrent, and short circuit protection function.




Disclaimer: VISIONIS reserve the right to go ahead with any modifications of models or features or price without forewarning. All the information and specifications stated in this document are current at the time of publication. Attention: We are not responsible for the improper installation of this kit. If you are not handy with electrical equipment you should contact a professional electrician. You will also need to check with your local Fire authority to see if you need anything else to comply with local Fire Codes. We are not responsible for damage or fees that can occur.



sales@visionistech.com



www.visionistech.com



Mini UPS Features

- Wall-mount design, can be hung on the wall.
- Slider back cover design, battery pack can be easily replaced, and the service life of the product can be extended.
- 3*2000mAh battery pack, backup time is 2 to 10 hours. Modular design allows you to replace the battery pack easily, the higher the battery capacity, the longer the backup time.
- 4 LED indicators can indicate battery power condition for 25% to 100%.
- Standard Y-Cable, supply power to two devices at the same time.

Mini UPS Working Condition

Charging: 0°C~50°C (32°F~122°F)

Discharging: -20°C~65°C (-4°F~149°F)

Storage 30 days: -20°C~45°C (-4°F~113°F)

Storage 90 days: -20°C~35°C (-4°F~95°F)



Disclaimer: VISIONIS reserve the right to go ahead with any modifications of models or features or price without forewarning. All the information and specifications stated in this document are current at the time of publication. Attention: We are not responsible for the improper installation of this kit. If you are not handy with electrical equipment you should contact a professional electrician. You will also need to check with your local Fire authority to see if you need anything else to comply with local Fire Codes. We are not responsible for any damage or fees that can occur.



sales@visionistech.com



www.visionistech.com

Storage

UPS with self-discharge function is greatly affected by the ambient temperature.

It should be fully charged before storage. And it shouldn't be stored longer than the periods below without being recharged.

- 6 months at 20°C (68°F)
- 3 months at 30°C (86°F)
- 2 months at 35°C (95°F)

Store it in a cool and arid place.

Charge it up in a timely manner.

And charge it at least once in 3 months or 5 with a long period unused.

Attention

- Non waterproof, please use it indoors. Take waterproof measures before outdoor usage.
- For your safety, please use qualified battery pack with protection board, do not throw it into water or fire, and do not try to disassemble it.



Disclaimer: VISIONIS reserve the right to go ahead with any modifications of models or features or price without forewarning. All the information and specifications stated in this document are current at the time of publication. Attention: We are not responsible for the improper installation of this kit. If you are not handy with electrical equipment you should contact a professional electrician. You will also need to check with your local Fire authority to see if you need anything else to comply with local Fire Codes. We are not responsible for any damage or fees that can occur.



sales@visionistech.com



www.visionistech.com